





SNOWBOARDS



03 PATHRON SNOWBOARDS 2021/2022

SNOWBOARDS TECHNOLOGIES

PROFILE



CLASSIC CAMBER PROFILE



CAMROCKER PROFILE



FLATROCKER PROFILE

Flat section between the bindings, with rocker in the tip and tail from the bindings out. The flat part of the board offers better edge grip than rocker and better maneuverability than camber. The rocker sections bring the tip and tail up and off the snow, shortening the contact length of the edges and making turns easier. Your ride becomes more nimble and maneuverable. You can slash the snow, slide sideways to scrub speed, smear and butter turns.



FULL ROCKER PROFILE

FULL ROULER PROFILE
Full Rocker, It's a good choice for those riders who like riding in the park. It's a versatile option, super stable for riding rails. It requires less ollie force to get it in the air compared to a traditional board, is more manoeuvrable and less likely to



HYBRID CAMBER PROFILE



HYBRID ROCKER PROFILE

It's a good choice for those riders who like the best of both worlds. Reverse camber between the feet keep it loose, playful and floaty, while positive camber in the nose and tail deliver a ton of pop and stability and edge hold. Camrocam offers great float in powder and a catch-free freestyle performance. It feels more like a rockered board than a cambered board when you ride it.

SHAPE



DIRECTIONAL SHAPE



DIRECTIONAL TWIN SHAPE

ong inserts are set back, the flex is even, the sidecu I, the tip and tail are exactly the same width but the longer than the tail.





TRUE TWIN SHAPE

A true twin shape means the board is 100% symmetrical – the stance is centered, the flex is even, the sidecut is dual-progressive, the tip and tail are exactly the same width and length.

LAMINATION



HIGH DENSITY BIAX FIBERGLASS LAMINATE



HIGH DENSITY TRIAX FIBERGLASS LAMINATE



HIGH DENSITY QUADRAX FIBERGLASS LAMINATE



CARBON LAMINATE

The carbon topsheet lamination gives the board very good torsional stiffness, great stability, good power transmission, and edge grip.

BASE





One of the fastest base in the industry. The IS7200/IS7500 sintered base is mixed with graphite, black carbon and Nano additives. The Nano additives take in heat then expel the heat to melt the snow. This creates less surface tension and more glide.



GRAPHITE BASEThe Sintered NHS Graphite Race base is currently the hardest and fastest base on the market. It's based on a sintered base mixed with graphite, black carbon and nano additives.



Carbon stringers are added to selected models to improve pop, torsional stiffness and to add response to your edges and your ollies.



Additional biax fiberglass power plates underneath the bindings region improve the power transfer to the edges and offer great damping properties.



TASMANIAN OAK





CONCAVE CROSS-PROFILE

In order to achieve the lowest possible weight of our carbon' boards and keep the stiffness across the whole size range on the same level, we've developed a concave base. It also reduces the loose, 'surfy' feel and makes it more stable.





HARDENED STEEL EDGES (HSE)



STURDY EDGE TECH (SET)







POPLAR WOOD CORE





DESIGN



TRANSPARENT DESIGNWe think you should see what you get and we made all technologies like x-carbon/kevlar, triaxial fiberglass and premium woodcores visibile to you.

MEDIUM-SOFT

FLEX






PLAY

Type: Freestyle **Lengths:** 146, 150, 153, 155, 156w

Shape: True Twin Lamination: Biax Base: Sintered




	BUARD SPECS							
	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]	
146 150 153 155 156w	288 292 295 297 301	248 251 252 253 259	288 292 295 297 301		7,6 7,7 7,8 7,9 8,3		480-600 500-620 500-620 520-640 520-640	





SLASH

Type: Freestyle **Lengths:** 149, 152, 155, 157w




TRANSPARENT DESIGN

RO		

	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
149 152 155 157w	286 287 289 310	243 247 250 262	286 287 289 310	1050 1080 1110 1110	6,8 7,7 8,3 6,6	0 0 0	480-600 500-620 500-620 510-630





Type: Allmountain/Freestyle **Lengths:** 152, 155, 158, 161, 156W, 159W, 162W, 168W **Profile:** Flatrocker

Shape: True Twin Lamination: Triax

Flex: Medium
Level: Intermediate/Advanced

















HARDENED STEEL EDGES



TRANSPARENT DESIGN


	BOARD SPECS										
	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]				
152	287	247	287	1080	7,7	0	480-600				
156W											
159W											
162W											
168W											





SENSEI BLUE

Type: Allmountain/Freestyle Lengths: 154, 155w, 157, 158w, 160, 161w Profile: Hybrid Rocker



	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
154 155w 157 158w 160 161w	295 304 298 307 300 310		295 304 298 307 300 310	1140 1150 1170 1180 1200 1210	7,9 8 8,2 8,3 8,4 8,5	0 0 0 0	500-620 500-620 520-640 540-660 540-660 540-660



SENSEI LIMITED

Type: Allmountain/Freestyle **Lengths:** 152mw, 155w, 158, 158w

Flex: Medium-Stiff Level: Intermediate/Advanced



POPLAR WOOD CORE





CAMROCKER PROFILE



TRUE TWIN SHAPE





SINTERED BASE







BOARD SPECS


	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
152mw 155w 158 158w	288 292 294 307	246 250 252 266	288 292 294 307	1040 1060 1090 1090			





LEGEND

Type: Allmountain/Freestyle Lengths: 156, 159, 160w, 162mw Profile: Hybrid Camber



	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
156 159 160w 162mw	296 300 310 305	251 255 266 259	296 300 310 305	1210 1230 1240 1250		10 10 10 10	






CARBON POWDER

Type: Allmountain/Freeride **Lengths:** 160W, 164W, 168W

Shape: Directional Lamination: Triax/Carbon

Flex: Medium-Stiff Level: Intermediate/Advanced



BOARD SPECS


	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
160W 164W 168W	321 324 326	270 272 274	320 323 325				500-620 520-640 520-640





CARBON GOLD

Type: Allmountain/Freeride Lengths: 156, 159, 160w, 162mw Profile: Hybrid Camber







			BOARD	SPECS			
	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
156 159 160w 162mw	296 300 310 305	251 255 266 259	296 300 310 305	1210 1230 1240 1250	7,2 7,4 7,4 7.5	10 10 10 10	480-600 500-620 500-620 520-640







POWDER HERO

Type: Allmountain/Freeride Lengths: 160mw, 164mw, 169mw Profile: Hybrid-Camber

Flex: Medium-Stiff
Level: Intermediate/Advanced





HYBRID CAMBER PROFILE

ABS SIDEWALL













BOARD SPECS

	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
160mw 164mw 169mw	301 306 311	254 258 262	295 300 305				500-620 500-620 520-640





DREAM CATCHER


Type: Allmountain/Freeride Lengths: 164W, 168W Profile: Camrocker Shape: Directional Lamination: Triax Base: Sintered

l evel: Intermediate/Advanced

Tip Width [mm]

If boards could talk, Dream Catcher would be screaming 'Power Alert!'. With a typical freeride swallow tail shape, hybrid profile and really set back stance you know what you are getting with the Dream Catcher. In addition you get a fast and durable sintered base and a subdued but striking graphic. Keep an eye on the weather, because the Dream Catcher will be calling when snow is falling.

TECHNOLOGIES



Tail	BOARD	SPECS		
	Width	Length	Radius	





MISSILE

Type: Allmountain/Freeride **Lengths:** 173

Lengths: 173
Profile: Camrocker
Shape: Directional
Lamination: Triax
Base: Sintered
Flex: Medium
Level: Advanced

It is simple, big mountains demand big boards, so Pathron have gone 'all-in' with the Missile creating a 173cm longboard. But the Missile is not just big, it is also unique. The long nose and precisely designed progressive flex, combine with the Missile's length to create spectacular float - leaving you to lay fresh tracks and destroy all opposition. With a unique profile and parabolic shape the Missile has an effective edge of a much shorter board, meaning it holds it's own in icy conditions and op-route to the powder. In a word freeride!

POPLAR WOOD CORE ABS SIDEWALL CAMROCKER PROFILE DIRECTIONAL SHAPE TRIAX LAMINATION SINTERED BASE HARDENED STEEL EDGES

			BOAR	D SPECS			
	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
173							





SCRATCH SPLIT

Type: Allmountain/Freeride Lengths: 161, 165


Lengths: 161, 165
Profile: Camrocker
Shape: Directional
Lamination: Triax
Base: Sintered

Level: Intermediate/Advanced

If boards could talk, Scratch would be screaming 'Power Alert!'. With a typical freeride swallow tail shape, camrock profile and really set back stance you know what you are getting with the Scratch. In addition you get a fast and durable sintered base and a subdued but striking graphic. Keep an eye on the weather, because the Scratch will be calling when snow is falling.

TECHNOLOGIES POPLAR WOOD CORE ABS SIDEWALL CAMROCKER PROFILE DIRECTIONAL SHAPE TRIAX LAMINATION SINTERED BASE HARDENED STEEL EDGES TRANSPARENT DESIGN

BOARD SPECS											
	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]				
161 165						14 14	508-661 508-661				




GTX SPLIT

Type: Allmountain/Freeride Lengths: 156, 161, 165 Profile: Camrocker Shape: Directional Lamination: Triax Base: Sintered


Level: Intermediate/Advanced

If boards could talk, GTX would be screaming 'Power Alert!'. With a typical freeride swallow tail shape, camrock profile and really set back stance you know what you are getting with the GTX. In addition you get a fast and durable sintered base and a subdued but striking graphic. Keep an eye on the weather because the GTX will be calling when snow is falling.




BOARD SPECS											
Size Tip Waist Tail Running Sidecut Setback Stance [cm] Width Width Length Radius [mm] Range [mm] [mm] [mm] [mm]											
156 161 165	293 297 299	254 258 260	293 297 299	1060 1090 1130	9 9,5 10	14 14 14	508-661 508-661 508-661				





CARBON POWDER SPLIT

Type: Allmountain/Freeride Lengths: 161, 165 Shape: Directional
Lamination: Triax/Carbon




BOARD SPECS												
	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]					
161 165							508-661 508-661					





CARBON GOLD SPLIT

Type: Allmountain/Freeride Lengths: 161, 165 **Shape:** Directional Twin **Lamination:** Triax/Carbon






SOFTCARVER

Type: Carving Lengths: 160 Shape: Directional Lamination: Triax

Flex: Medium-Stiff Level: Intermediate



Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]
300				8,35	20	




FREECARVER

Type: Carving Lengths: 177 Profile: Camber Shape: Directional Lamination: Triax Base: Graphite

Reinforcement: Carbon/Kevlar + Power plates

Flex: Stiff
Level: Advanced

The ultimate carving machine created for the most demanding riders



SUMMARY


PLAY



SENSEI BLUE



CARBON POWDER



DREAM CATCHER



GTX SPLIT



SOFTCARVER



SLASH



SENSEI LIMITED



CARBON GOLD





CARBON POWDER SPLIT



FREECARVER





LEGEND



POWDER HERO



SCRATCH SPLIT



CARBON GOLD SPLIT



SNOWBOARDS SPECIFICATION

	Size [cm]	Tip Width [mm]	Waist Width [mm]	Tail Width [mm]	Running Length [mm]	Sidecut Radius [m]	Setback [mm]	Stance Range [mm]		Profile		Lamination		Яех	Reinforcement
PLAY	146														
	150														
	153														
	156w														
SLASH	149														
	152														
	157w														
TT	152	287	247	287	1080	7,7		480-600	Allmountain/Freestyle	Flatrocker	True Twin	Triax	Extruded		Beech Stringers
	155														
	158														
	156w														
	159w														
	162w														
	168w														
	154														
	155w														
	157														
	158w														
	160														
	161w														
SENSEI LIMITED	152mw														
	155w														
	158 158w														
LEGEND	156W														
	159														
	160w														
	162mw														
CARBON POWDER	160w														
	164w														
	168w														
CARBON GOLD	156														
	159														
	160w														
	162mw	305	251	296	1210	7,2	10	480-600	Allmountain/Freeride	Hybrid-Camber	Twin	Triax/Carbon	Graphite	Medium-Stiff	
POWDER HERO	160mw														
	164mw														
	169mw														
DREAM CATCHER	164w														
	168w														
MISSILE	173														
SCRATCH SPLIT	161														
	165														
GTX SPLIT	156														
	161														
CARRON ROWE	165														
CARBON POWDER SPLIT	161														
CARRON COLD SPLIT	165														
CARBON GOLD SPLIT	161														
SOFTCARVER	165														
FREECARVER	160														
The state of the s	177														



PATHRON SNOWBOARDS 2021/2022

BINDINGS TECHNOLOGIES

HIGHBACK



REAR ENTRY



HIGHBACK FORWARD LEAN



HIGHBACK ROTATION



SYMMETRICAL HIGHBACK



ASYMMETRICAL HIGHBACK





ALUMINIUM BUCKLES



COMPOSITE BUCKLES



MICRO BUCKLES

MOUNT SYSTEM



4X4 MOUNT SYSTEM



3D MOUNT SYSTEM



THE CHANNEL MOUNT

TOE STRAP



CLASSIC TOE STRAP

Standard strap that holds the boot from the top.



CAP-STRAP



MULTI CAP-STRAP



3D ULTRALIGHT TECH CAP-STRAP



3D ADVANCED FIT CAP-STRAP

ANKLE STRAP







ULTRALIGHT ANKLE STRAP



MOUNTAIN ANKLE STRAP

BASE



ALUMINIUM BASE



COMPOSITE BASE



FOOT BED

FOOT BED RUBBER PADS



FULLY PADDED FOOT BED

GAS PEDAL



ADJUSTABLE

FRONT/REAR GAS PEDAL



HEEL CUP



ADJUSTABLE HEEL CUP



FLEX

BINDING FLEX

PATHRON AT

Allmountain/Freestyle Bindings







ASYMMETRICAL HIGHBACK





HIGHBACK ROTATION ADJUSTMENT



ALUMINIUM BUCKLES













FOOT BED Rubber Pads







PATHRON CT

CLASSIC SERIES

Allmountain/Freeride Bindings



HIGHBACK FORWARD LEAN ADJUSTMENT



ASYMMETRICAL HIGHRACK







HIGHBACK ROTATION ADJUSTMENT













FULLY PADDED Foot Bed









3D ANKLE STRAP



PATHRON BINDINGS





PATHRON ST

Allmountain/Freestyle Bindings









ASYMMETRICAL HIGHBACK



















3D Ankle Strap







COMPOSITE



FULLY PADDED FOOT BED







PATHRON XT

FASTEC SYSTEM SERIES

Allmountain/Freestyle Bindings

FEATURES:





HIGHBACK FORWARD



ASYMMETRICAL HIGHBACK



HIGHBACK ROTATION ADJUSTMENT





3D ADVANCED FIT CAP-STRAP







3D Ankle Strap



ULTRALIGHT ANKLE STRAF



CAP-STRAP

COMPOSITE BASE











PATHRON BINDINGS





PATHRON GT ALU

FASTEC SYSTEM SERIES

Allmountain/Freeride Bindings

FEATURES:







ASYMMETRICAL HIGHBACK



HIGHBACK ROTATION Adjustment













3D ANKLE STRAP













PATHRON GT ALU **SPLIT MULTIENTRY**

FASTEC SYSTEM SERIES

Splitboard Bindings

FEATURES:















CAP-STRAP











3D ADVANCED FIT CAP-STRAP









FULLY PADDED Foot Bed





PATHRON BINDINGS





PATHRON EVO PADDED

FEATURES:

- ► Adjustable, removable shoulder strap
- ► Fully padded base
- ► Carrying handle
- ► Heavy duty zippers
- ► Side zipper pocket to store Tools/Spare parts

SIZES: 155cm

168cm







44 PATHRON SNOWBOARDS 2021/2022

















PIOTR TOKARCZYK TEAM RIDER

MARCIN KOZIEŃSKI TEAM RIDER

ALFREDO ESTEBAN OCÓN TEAM RIDER

PETR ZVERINA TEAM RIDER

MARTIN ELLIOTT TEAM RIDER

ARKADIUSZ CHMIEL AMBASSADOR

THOMAS RICH AMBASSADOR

PIOTR DABOV AMBASSADOR









DISTRIBUTORS FIND YOUR DEALER

CZECH REPUBLIC

SPAIN

NORILLIACION S O N B O N B O N B O S O N B O N S

HEADQUARTERS

Czestochowska 38/52/312 93-121 Lodz Poland

e-mail: office@pathron.com tel: +48 794 117 275

www.pathron.com

facebook.com/pathron instagram.com/pathronsnowboards



